

Fig. 1, Prior Art




Fig. 2, Prior Art




Fig. 3




Fig. 4





Fig. 5



TOP SECRET

Fig. 6




Fig. 7




FIG. 8

```
Method (x var) ← 801
{
    xxxxxx
    xxxxxx
    xxxxxx
    bad code
    xxxxxx
    xxxxxx
}
```



Fig. 9




Fig. 10




Fig. 11





Fig. 12

### (Input File or Stream)

//This program creates a ...

\*Source: XYZ Programming Industries ← 1201

\*Server: XYZ.com ← 1204

\*Certification: 37698Jl, 43029XN, 83621TY ← 1205

\*Unresolvable Code:

\*default = basic block, method ← 1206

\*special: links = instruction ← 1210

\*source: local = local.dll, remote = xyz.com/ouch.dll

1207

1209

1208

#include xyz.com/dev/classA2.dll ← 1203

XXXXXXXXXXXXXXXXXX

XXXXXXXXXXXXXXXXXX

XXXXXXXXXXXXXXXXXX

XXXXXXXXXXXXXXXXXX

XXXXXXXXXXXXXXXXXX

XXXXXXXXXXXXXXXXXX

XXXXXXXXXXXXXXXXXX

XXXXXXXXXXXXXXXXXX

XXXXXXXXXXXXXXXXXX

XXXXXXXXXXXXXXXXXX

XXXXXXXXXXXXXXXXXX

XXXXXXXXXXXXXXXXXX

XXXXXXXXXXXXXXXXXX

XXXXXXXXXXXXXXXXXX

XXXXXXXXXXXXXXXXXX

XXXXXXXXXXXXXXXXXX

XXXXXXXXXXXXXXXXXX

XXXXXXXXXXXXXXXXXX

XXXXXXXXXXXXXXXXXX

XXXXXXXXXXXXXXXXXX

XXXXXXXXXXXXXXXXXX

XXXXXXXXXXXXXXXXXX

XXXXXXXXXXXXXXXXXX

XXXXXXXXXXXXXXXXXX

XXXXXXXXXXXXXXXXXX

XXXXXXXXXXXXXXXXXX

XXXXXXXXXXXXXXXXXX

XXXXXXXXXXXXXXXXXX

XXXXXXXXXXXXXXXXXX

XXXXXXXXXXXXXXXXXX

XXXXXXXXXXXXXXXXXX

XXXXXXXXXXXXXXXXXX

XXXXXXXXXXXXXXXXXX

XXXXXXXXXXXXXXXXXX

XXXXXXXXXXXXXXXXXX

For all Figures:

'\*' = metadata

'/' = comments

'#' = translation time link

Fig. 13




FIG. 14




Fig. 15




Fig. 16






Fig. 17

